

Tuning Table

PRICE LIST

USD

AKKO
SPECIALtune

SPECIAL ACCESSORIES

for Systems

AKKOtune compact

AKKOtune modular

AKKOtune modular LE

and system-independent

valid: Apr-23

AKKO
Thielmann **fixx**
Accordion - Service

For equipping an existing or new tuning workstation

with a surface that is suitable for placing reed blocks on top and to avoid lateral air leakage.

For this purpose, the cover is made of robust saddlery leather and likewise the inserts with the different blowholes.

The size is selected so that all instruments can be accommodated from the smallest "Schwyzerörgeli" to the largest concert accordion when tested as a whole. For fixation the instrument is held in place by lateral hold-downs and a clamping bridge.

removed tuning sticks can be guided above the blowhole and along an adjustable stop rail in such a way that the air flow hits only one particular tone chamber.

For the fixation of the guide rail, hold-down devices and accessories, the worktop is equipped with a total of nine threaded inserts. The inserted blowholes are secured against being pulled out by a locking mechanism.

Code

Price **

C1	AKKÖtune DESK	<i>in combination with AKKÖtune modular system order</i>	\$	365
		<i>without AKKÖtune modular system order*</i>	\$	500

Worktop with swappable Blow Hole Inserts covered with saddlery leather, incl. 4 inserts
incl. 2 side hold-downs and instrument fixation bracket
incl. 2 start grip screws for accessory fixation
incl. Plain reed block guide
incl. Equalization foam mat
Dimensions: W 600 x D 380 x H 30 mm
excl. Air Flange, as A1



With USB Port:

For detection of tones generated inside the blow hole and outside the table two microphones are positioned inside the blow hole and on the included gooseneck. They are connected to a small electronic device that combines and route them to a USB port.


Three pushbuttons at the front allow to select whether the internal, external, or both signals are routed to the USB port

C2	AKKÖtune DESK+	<i>in combination with AKKÖtune modular system order</i>	\$	702
		<i>without AKKÖtune modular system order*</i>	\$	837

Worktop with swappable Blow Hole Inserts, **incl. microphones and USB port** covered with saddlery leather, incl. 4 inserts
mit USB Anschluss der separat wählbaren integrierten Mikrofone,
1x in blow hole and 1x gooseneck microphone (incl.)
incl. 2 side hold-downs and instrument fixation bracket
incl. 2 start grip screws for accessory fixation
incl. Plain reed block guide
incl. Equalization foam mat
Dimensions: W 600 x D 380 x H 30 mm
excl. Air Flange, as A1


including under-table-flange*

Code		Price **
C4	<p>AKKÖtune miniDESK</p> <p>Worktop with swappable blow hole inserts for replacing/upgrading a work plate on a bellows covered with leather, incl. 5 different blow hole inserts including a plain guide rail and two fixation screws</p> <p>Dim.: W 400 x D 200 x H 25 mm</p>	\$ 212
C4a	<p>AKKÖtune miniDESK+ Microphone</p> <p>like C4, but with microphone integrated in the blow hole</p> <p>With cable and connector for connection to an external MicSelection Box</p>	\$ 294



C5	<p>AKKÖtune miniDESK-L</p> <p>Worktop with swappable blow hole inserts for replacing/upgrading a work plate on a bellows covered with leather, incl. 5 different blow hole inserts including a plain guide rail and two fixation screws</p> <p>Dim.: W 600 x D 240 x H 25 mm</p>	\$ 250
----	---	--------

C5a	<p>AKKÖtune miniDESK-L+ Microphone</p> <p>like C5, but with microphone integrated in the blow hole</p> <p>With cable and connector for connection to an external MicSelection Box</p>	\$ 332
-----	---	--------





C7	<p>AKKÖtune MicSelection Box external</p> <p>separate unit for connecting up 2 AKKÖtune microphones with USB port for the connected selectable microphones in a small desktop enclosure with front panel, select buttons and LEDs</p>	\$ 207
----	--	--------



M1	<p>AKKÖtune built-in microphone for use in blowhole</p> <p>with connection cable and plug for ext. MicSelection Box</p>	\$ 60
M2	<p>AKKÖtune goosneck microphone, 60cm long</p> <p>with connection cable and plug for ext. MicSelection Box</p> <p>with mounting base and star grip screw, plus M6 thread insert</p>	\$ 115

Code		Price **
D1	additional Blow Hole Insert according to customer specification for example different blow hole-Ø or several blow holes	\$ 57
D2	additional Equalization Foam Mat for bridging uneven (bellows) rims when placing a "halved" instrument on worktop	\$ 19
D3	Replacement Covering for AKKotune DESK or DESK+ sturdy saddlery leather, black completed holes and cuts, provided with adhesive tape with application instructions	\$ 115
D4	Fixation bracket for Bandoneon extra long legs to put on hold-downs	\$ 104
D5	Lateral hold-downs 1 Set with 2 pieces For use with or without clamping bracket	\$ 125
D6	Gooseneck, long with mounting base incl. 1 microphone clip for deployment of own microphones	\$ 119
D7	Reed block guide with movable hold-down incl. set of accessories	\$ 217




Multi Reepate Holder

3 different holders for 6, 5 or 3 reedplates

MRH1619 for 6 reedplates with 15-19 mm width and 27-70 mm length

MRH1923 for 5 reedplates with 19-23 mm width and 27-70 mm length

MRH2325 for 3 reedplates with 23-25 mm width and 27-96 mm length




the first two
guides are each the same width

Reedplate guides may be completely closed

2 to 3 reedplates can be blown parallel

Flat guide rails enable reepate manipulation directly in holder


E1-1	Multi Reepate Holder	MRH1619B	as a Blow hole insert	\$	359
E1-1a	Multi Reepate Holder	MRH1923	not a blow hole insert	\$	337
	Holder for reedplates 15-19 mm 2x 15-16 mm, 2x16-17 mm, 1x 17-18 mm, 1x 18-19 mm				
E1-2	Multi Reepate Holder	MRH1923B	as a Blow hole insert	\$	348
E1-2a	Multi Reepate Holder	MRH1923	not a blow hole insert	\$	327
	Holder for reedplates 19-23 mm 1x each: 18-19, 19-20 mm and 20-21, 21-22, 22-23 mm				
E1-3	Multi Reepate Holder	MRH2325B	as a Blow hole insert	\$	294
E1-3a	Multi Reepate Holder	MRH2325	not a blow hole insert	\$	272
	Holder for reedplates 23-25 mm 1x each: 22-23, 23-24, 24-25 mm				
E2	3 way reedplate holder	3RH B	as a Blow hole insert	\$	283
	for 15-17 mm width	3RH	not a blow hole insert	\$	261




for 3 reedplates of 15-17 mm width

flat guide rails allow tuning directly in the holder.
reedplate guides may be completely closed2-3 reedplates may be blown parallel for
tremolo tuning

Code	Helicon reedplate holder	as blow hole insert	Price **
E3		as blow hole insert	\$ 522
E3a		no blow hole insert	\$ 473
	adjustable Holder for reed plates of 20-30/42-55 mm width and 97-98 mm length		
	Flat guide rails allow tuning directly in the holder.		



E4	Bandoneon reed plate holder	as blow hole insert	\$ 434
	with foam cushions as air seal besides the blown reed		
	adjustable for different plate widths		



E5	Bajan reed plate holder	blow hole insert	\$ 489
	with foam cushions as air seal besides the blown reed		
	adjustable for different plate widths		

E6	Harmonica reed plate holder	blow hole insert	\$ 434
	with foam cushions as air seal besides the blown reed		
	adjustable for different plate widths		

AKKO

Druckanzeige **mbar**

X7

AKKOmbar*Air Pressure Gauge*

\$

325

Desktop meter and display for air pressure in the tuning table (vacuum/excess)

Connectors for air pressure hose and power supply on the back.

Large backlit LC-display with 14mm high characters.

With turning knob for Zero adjustment.



Including:

Air pressure hose, 1m

Hose nipple for connection to the tuning table/bellows

12 DC power plug, 1A

User guide for installation and operation.

Measuring range in Millibar:

-20 to +20 mbar (1 mbar = 100 Pascal)

Dimensions:

W 85 x D 145 x H 73 mm



Robert Thielmann
Sagigut 9
5036 Oberentfelden
Schweiz

UID-Reg.: CHE-155-382.728

Tel. +41 62 723 38 04
Mob.CH +41 76 470 25 65
Mob.DE +49 159 02 7979 02
eMail akkofixx@akkofixx.com
web www.akkofixx.com

Bankverbindungen

CHF	Aargauische Kantonalbank	AKKOfixx Akkordeon-Service
		IBAN: CH43 0076 1644 5392 2200 1
		BIC: KBAGCH22
EUR	comdirect Bank AG, DE Quickborn	Robert Thielmann
		IBAN: DE22 2004 1155 0419 3348 00
		BIC: COBADEHD055